


## LIBERA EVO L



The system is organized on two or three levels, with a structure that optimizes the well-being of the hens and the possibility to maximize the housing surface.





## TECHNICAL FEATURES

- Easy **maintenance and control** of the nests area thanks to the **back access**.
- The fixed bottom **side family nest, accessible from the corridor**, is equipped with a rotary hens expeller
- The 300 mm perforated polypropylene **egg belt** is positioned on one side (behind the nest) and it is easily accessible and inspectable
- The pyramidal structure allows **easy access to the upper floors** for better maintenance and management of the system
- The **design of the structure** facilitates the movement of the animals between floors. This develops mobility and ensures **productivity** within nests on the lower floors
- It has a flat chain feeding system
- Nipples Facco are effective and accurate, they ensure an adequate water supply without waste with optimal performances.







## EACH LINEAR METER


### 3 TIERS


- Available area m<sup>2</sup>: 6.06
- Nest area m<sup>2</sup>: 0.98
- Feed through linear mt: 12
- Perch linear mt: 15
- Nipples no.: 13

### 2 TIERS

- Available area m<sup>2</sup>: 4.18
- Nest area m<sup>2</sup>: 0.98
- Feed through linear mt: 8
- Perch linear mt: 11
- Nipples no.: 13

- Perches
- Feed through area
- Drinkers
- Nests
- Lights





|                  | h battery |       | h catwalks |      |
|------------------|-----------|-------|------------|------|
|                  | mm        | ft    | mm         | ft   |
| <b>2 TIERS</b>   | 2230      | 7,31  |            |      |
| <b>3 TIERS</b>   | 3030      | 9,94  |            |      |
| <b>2+2 TIERS</b> | 4830      | 15,84 | 2600       | 8,53 |
| <b>2+3 TIERS</b> | 5630      | 18,47 | 2600       | 8,53 |

|                    | h battery |       | h catwalks |       |
|--------------------|-----------|-------|------------|-------|
|                    | mm        | ft    | mm         | ft    |
| <b>3+2 TIERS</b>   | 5630      | 18,47 | 3400       | 11,15 |
| <b>3+3 TIERS</b>   | 6430      | 21,09 | 3400       | 11,15 |
| <b>3+3+3 TIERS</b> | 9830      | 32,25 | 3400       | 11,15 |

